

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

The Indian Boilers Act 1923 – Boiler No. AP-3471, AP-3543, AP-3544, AP-3539, AP-3545 of M/s. Hindustan Petroleum Corporation Limited, Visakhapatnam – Exemption from the clause (c) of section 6 of Indian Boilers Act, 1923 for a period of Six (6) months (i.e.) from 02.06.2009 to 30.11.2009 – Orders – Issued

ENERGY (CCB) DEPARTMENT

G.O.Rt.No. 128

Dated:30 .09.2009.

1. From the Director of Boilers, Hyderabad Lr.No.B1/8348/2009, dt.:30.06.2009.
2. From the Director of Boilers, Hyderabad Lr.No.B1/8349/2009, dt:30.06.2009
3. From the Director of Boilers, Hyderabad Lr.No.B1/8350/2009, dt:30.06.2009
4. From the Director of Boilers, Hyderabad Lr.No.B1/8351/2009, dt:30.06.2009
5. From the Director of Boilers, Hyderabad Lr.No.B1/8352/2009, dt:30.06.2009

ORDER:-

In the circumstances reported by the Director of Boilers in his letters read above, The Government have decided to exempt the Boilers AP-3471, AP-3543, AP-3544, AP-3539, AP-3545 of M/s.HPCL, Visakhapatnam for a period of 6 (Six) months from 02.06.2009 to 30.11.2009. Accordingly the following notification shall be published in the Extraordinary Issue of the Andhra Pradesh, Gazette, dated:

NOTIFICATION

In exercise of the powers conferred under sub-section (2) of section 34 of the Indian Boilers Act,1923, (Act No.V of 1923), the Governor of Andhra Pradesh hereby exempts the Boiler No. AP-3471, AP-3543, AP-3544, AP-3539, AP-3545 of M/s. Hindustan Petroleum Corporation Limited, Visakhapatnam from the provisions of clause (c) of section 6 of the Indian Boilers Act 1923 for a period of 6 (six) months from 02.06.2009 to 30.11.2009. subject to the following conditions.

- (i) The inspection fee paid on 20.4.2009 as mentioned below is adjusted towards inspection of Boiler during working carried out on 23.06.2009 for the purpose of exemption.

Sl. No.	Boiler No.	Date	Amount
1.	AP/3471	20.04.2009	Rs.16,000/-
2.	AP/3543	20.04.2009	Rs.4,000/-
3.	AP/3544	20.04.2009	Rs.5,000/-
4.	AP/3539	20.04.2009	Rs.12,000/-
5.	AP/3545	20.04.2009	Rs.12,000/-

- (ii) During the exemption period, the Boiler shall be used in accordance with the provisions of the Indian Boilers Act, 1923, the Andhra Pradesh Boiler Attendant Rules, 1956 and the Andhra Pradesh Boiler Operation Engineer Rules.
- (iii) Any repair during the period of exemption shall be carried out only after obtaining the permission from the Director of Boilers, Andhra Pradesh, Hyderabad.
- (iv) No further exemption shall be granted to the Boiler. After expiry of the exemption period, the Boiler shall be offered for inspection.

The Director of Boilers shall take necessary action accordingly

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

A.K.GOEL,
SPECIAL CHIEF SECRETARY TO GOVERNMENT.

To
The Commissioner, Printing & Stores Purchase, A.P., Hyderabad
for publication in A.P.Gazette.(2 copies)
The Director of Boilers, A.P., Hyderabad. (with a request to address the firm
separately as regards adjustment of fee).
The M/s.Hindustan Petroleum Corporation Limited, Visakha Refinery, PO No. 15,
Visakhapatnam.
SF/SCs.

Copy to:
Law (E) Department.

//Forwarded By Order//

SECTION OFFICER.